

| Instrument Approach Procedure Coding Table Innsbruck RNP Z RWY 26 (AR) | | | | | | | | | | |
|---|----------------------|---------------------|----------------|---------------------------|--------------------------------------|---------|----------------|---------------------|---------------------------|---------------|
| Path Terminator | Waypoint | | | | Course/Track ° MAG (° True) | DIST NM | Turn Direction | ARC Centre Waypoint | | ARC Radius NM |
| | Identifier | Type | Flyover | Coordinates | | | | Identifier | Coordinates | |
| IF | RTT | IAF | no | N472551.32 E0115624.19 | | | | | | |
| TF | WI002 | FAP | no | N472236.01 E0114930.01 | 231° (235.3°) | 5.7 | | | | |
| TF | WI103 | | no | N471616.49 E0112647.56 | 244° (247.9°) | 16.7 | right | | | |
| TF | RW26 | | yes | N471541.82 E0112125.24 | 257° (261.1°) | 3.7 | right | | | |
| TF | WI005 | MATF | no | N471508.72 E0111606.82 | 257° (261.3°) | 3.7 | | | | |
| TF | WI006 | MATF | no | N471820.40 E0110509.80 | 289° (293.3°) | 8.1 | right | | | |
| TF | WI007 | MATF | no | N471912.18 E0105859.94 | 278° (281.7°) | 4.3 | left | | | |
| RF | WI008 | | no | N471638.56 E0105921.62 | | 5.1 | left | WI009 | N471753.02 E0105834.83 | 1.4 |
| TF | WI006 | MATF | no | N471820.40 E0110509.80 | 063° (066.7°) | 4.3 | | | | |
| TF | WI005 | MATF | no | N471508.72 E0111606.82 | 109° (113.1°) | 8.1 | right | | | |
| TF | WI103 | MATF | no | N471616.49 E0112647.56 | 077° (081.1°) | 7.4 | left | | | |
| TF | WI002 | MATF | no | N472236.01 E0114930.01 | 063° (067.6°) | 16.7 | left | | | |
| TF | RTT | MAHF | yes | N472551.32 E0115624.19 | 051° (055.2°) | 5.7 | left | | | |
| Waypoint Constraints | | | | | | | | | | |
| Waypoint Identifier | Constraints | | RNP Value NM | Navigation Specification | Remarks | | | | | |
| Identifier | Level | Speed | | | | | | | | |
| RTT | A9500+ | | 0.3 | RNP AR APCH | MAHF at A11500+ | | | | | |
| WI002 | A9500+ | | 0.3 | RNP AR APCH | | | | | | |
| WI103 | | | 0.3 | RNP AR APCH | | | | | | |
| RW26 | | | 0.3 | RNP AR APCH | | | | | | |
| WI005 | | | 0.3 | RNP AR APCH | | | | | | |
| WI006 | | | 0.3 | RNP AR APCH | | | | | | |
| WI007 | | K165- | 0.3 | RNP AR APCH | | | | | | |
| WI008 | | K165- | 0.3 | RNP AR APCH | | | | | | |
| RNAV Holding | | | | | | | | | | |
| Holding Point | Inbound Track ° True | Inbound Track ° MAG | Turn Direction | MAX IAS | Minimum Holding Altitude FT MSL / FL | Time | DIST NM | Remarks | | |
| RTT | 228.7° | 224° | right | | A9500 | 1 MIN | | | | |