

INSTRUMENT APPROACH CHART - ICAO



AD ELEV 1411 FT
THR 15 ELEV 1411 FT
HGT RELATED TO AD ELEV

RADAR 123.725
TOWER 132.460
ATIS 118.100
133.330

EGNOS
CH 52375
E15A

SALZBURG (LOWS)
ÖSTERREICH AUSTRIA
RNP E RWY 15 (LPV only)

VAR 4° E



MISSED APPROACH: CLIMB STRAIGHT AHEAD, AT WS818 TURN LEFT DIRECT TO WS815; CLIMB TO 6000 FT AMSL AND HOLD.
NOTE: MISSED APPROACH SPEED IS LIMITED TO MAX IAS 180 KT DURING THE TURN WITH MINIMUM BANK ANGLE OF 25°.

	MA - CLIMB GRADIENT	A	B	C	D / D _L	WS816 to RW15 - DISTANCE 8.0 NM (Timing not authorized for defining the MAPt)							
OCA (OCH) IN FT	2.5 %	1938 (527)	1950 (539)	2354 (943)	2364 (953)		GS (KT)	80	100	120	140	160	180
	4.5 %	1693 (282)	1705 (294)	1897 (486)	1908 (497)	Rate of descent (5.2%)	FT / MIN	420	530	640	740	850	960
	6.5 %	1640 (229)	1652 (241)	1682 (271)	1692 (281)								
CIRCLING		see LOWS AD 2 MAP 14-1											

DIST in NM to RW15	7.0	6.0	5.0	4.0	3.0
ALTITUDE (HEIGHT)	3740 (2329)	3410 (1999)	3080 (1669)	2750 (1339)	2430 (1019)

**Instrument Approach Procedure Coding Table
Salzburg RNP E RWY 15**

Path Terminator	Waypoint				Course/ Track ° MAG (° True)	DIST NM	Turn Direction	Constraints		Navigation Specification	Remarks
	Identifier	Type	Flyover	Coordinates				Level FT	Speed KT		
IF	WS813	IAF	no	N475756.96 E0124534.51				A5000+		RNP APCH	
IF	WS814	IAF	no	N480152.57 E0125916.35				A5000+		RNP APCH	
IF / TF	WS815	IAF / IF	no	N475954.97 E0125225.17	063° (066.8°)	5.0		A4000+		RNP APCH	
					243° (247.0°)						
TF	WS816	FAP	no	N475530.24 E0125513.67	153° (156.8°)	4.8	right	A4000+		RNP APCH	
							left				
TF	RW15		yes	N474811.32 E0125951.89	153° (156.9°)	8.0				RNP APCH	VPA (°) / TCH (ft): -3.0 / 56
TF	WS818	MATF	yes	N474634.70 E0130052.94	153° (156.9°)	1.8				RNP APCH	
DF	WS815	MAHF	yes	N475954.97 E0125225.17			left	A6000+	180-	RNP APCH	25° bank required
HM	WS815	MAHF	yes	N475954.97 E0125225.17			left	A6000+	220-	RNP APCH	Time: 1 MIN
PBN Holding											
Holding Point	Inbound Track ° True	Inbound Track ° MAG	Turn Direction	Speed KT	Holding Altitude FT AMSL / FL		Time	DIST NM			
					MNM	MAX					
WS815	178.8°	175°	left	220-	A4000	FL140	1 MIN				
				NIL	FL150	FL660	1.5 MIN				

SBAS FAS Data Block Coding Table Salzburg RNP E RWY 15

Input data

Operation Type	0
SBAS Provider	1 (EGNOS)
Airport Identifier	LOWS
Runway	15
Runway Letter	0 (None)
Approach Performance Designator	0
Route Indicator	E
Reference Path Data Selector	0
Reference Path Identifier	E15A
LTP/FTP Latitude	474811.3200N
LTP/FTP Longitude	0125951.8900E
LTP/FTP Ellipsoidal Height (metres)	475.3
FPAP Latitude	474653.3180N
Delta FPAP Latitude (seconds)	-78.0020
FPAP Longitude	0130041.1850E
Delta FPAP Longitude (seconds)	49.2950
Threshold Crossing Height	56.0
TCH Units Selector	0 (feet)
Glidepath Angle (degrees)	3.00
Course Width (metres)	102.25
Length Offset (metres)	312
HAL (metres)	40.0
VAL (metres)	35.0

Output data

Data Block	10 13 17 0F 0C 0F 28 00 01 35 31 05 70 CF 83 14 A4 F9 93 05 91 26 9C 9E FD 1E 81 01 30 02 2C 01 59 27 C8 AF 80 32 BF 64
Calculated CRC Value	8032BF64

Required Additional data

ICAO Code	LO
LTP/FTP Orthometric Height (metres)	430.0