

INSTRUMENT APPROACH CHART - ICAO



AD ELEV 600 FT
THR 34 ELEV 586 FT
HGT RELATED TO THR ELEV

EGNOS
CH 57170
E34A

VAR 5° E

RADAR 118.775 125.175 129.050 134.675 136.250
ARRIVAL 119.800 134.125
TOWER 119.400 123.800 124.475
GROUND 121.600 121.775
ATIS 122.955

WIEN-SCHWECHAT (LOWW)
ÖSTERREICH AUSTRIA
RNP RWY 34



MISSED APPROACH: CLIMB STRAIGHT AHEAD, AT WW968 TURN RIGHT DIRECT TO FMD; CLIMB TO 5000 FT AMSL AND HOLD.

OCA (OCH) IN FT	A	B	C	D / D _L
LNAV	970 (384)			
LNAV/VNAV	865 (279)	877 (291)	892 (306)	903 (317)
LPV	737 (151)	749 (163)	757 (171)	795 (209)

WW970 to RW34 - DISTANCE 7.4 NM (Timing not authorized for defining the MAPt)							
GS (KT)	80	100	120	140	160	180	
Rate of descent (5.2%)	FT / MIN	420	530	640	740	850	960

DIST in NM to RW34	7.0	6.0	5.0	4.0	3.0	2.0
ALTITUDE (HEIGHT)	2870 (2284)	2550 (1964)	2230 (1644)	1910 (1324)	1590 (1004)	1270 (684)

Coding Table LOWW RNP RWY 34

Path Terminator	Waypoint				Course/ Track ° MAG (° True)	DIST NM	Turn Direction	Constraints		Navigation Specification	Remarks
	Identifier	Type	Flyover	Coordinates				Level FT	Speed KT		
IF	WW971	IAF	no	47 55 40.56N 016 39 32.50E				A3000+		RNP APCH	
TF	WW970	FAF	no	47 58 10.65N 016 38 29.43E	339 (344.2)	2.6		A3000+		RNP APCH	
TF	RW34	MAPt	yes	48 05 19.07N 016 35 28.82E	339 (344.2)	7.4				RNP APCH	VPA (°) / TCH (ft): -3.0 / 50
TF	WW968	MATF	yes	48 14 56.08N 016 31 24.21E	339 (344.2)	10.0				RNP APCH	
DF	FMD	MAHF	yes	48 06 18.41N 016 37 45.35E			right	A5000+		RNP APCH	
HM	FMD	MAHF	yes	48 06 18.41N 016 37 45.35E	159 (163.6)		left	A5000+	230-	RNP APCH	Time: 1 MIN
PBN Holding											
Holding Point	Inbound Track ° True	Inbound Track ° MAG	Turn Direction	Speed KT	Holding Altitude FT AMSL / FL		Time	DIST NM	Remarks		
					MNM	MAX					
FMD	163.6	159	left	230-	A5000	FL140	1 MIN				
				NIL	FL150	FL660	1.5 MIN				

SBAS FAS Data Block Coding Table LOWW RNP RWY 34

Input data

Operation Type	0
SBAS Provider	1 (EGNOS)
Airport Identifier	LOWW
Runway	34
Runway Letter	0 (None)
Approach Performance Designator	0
Route Indicator	
Reference Path Data Selector	0
Reference Path Identifier	E34A
LTP/FTP Latitude	480519.0700N
LTP/FTP Longitude	0163528.8200E
LTP/FTP Ellipsoidal Height (metres)	222.7
FPAP Latitude	480713.5295N
Delta FPAP Latitude (seconds)	114.4595
FPAP Longitude	0163440.4230E
Delta FPAP Longitude (seconds)	-48.3970
Threshold Crossing Height	50.0
TCH Units Selector	0 (feet)
Glidepath Angle (degrees)	3.00
Course Width (metres)	107.00
Length Offset (metres)	72
HAL (metres)	40.0
VAL (metres)	35.0

Output data

Data Block	10 17 17 0F 0C 22 00 00 01 34 33 05 BC 2C A3 14 68 C7 1E 07 B3 1C 37 7E 03 E6 85 FE F4 01 2C 01 6C 09 C8 AF B6 BA 0D 39
Calculated CRC Value	B6BA0D39

Required Additional Data

ICAO Code	LO
LTP/FTP Orthometric Height (metres)	178.7